



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The ALCOR Medium Power Spotlight by Bullard Outdoor is a robust LED fixture crafted from 12# die-cast aluminum with a tempered glass lens (T=3mm). Operating on 110–277V, it provides efficient, high-quality illumination with a CRI of 80. Rated IP66 and IK07, it ensures durability and performance in any outdoor environment. Available in Sanded Bronze, Dark Gray, Black, and White finishes, ALCOR delivers reliable, stylish lighting for architectural and landscape applications.

FIXTURE TYPE:

Spotlight - Medium Power Spotlights

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66

IP66

IK RATING:

IK 05 / 06

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black
Sanded White

CABLE GLAND:

IP68 PG-9 PA66

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BO-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BO-ALR-KPG-SPT-
R3EJU0126-K30-KAP7008-
DIM-R8-15-B-17B-CA3022

1 MODELS:

CODE -R3EJU0126

DIMENSIONS:

Diameter - Ø: 2.75" (7 cm)
Height - H: 5.27" (13.4 cm)
Length - L: 4.09" (10.4 cm)

LIGHT SOURCE:

LED / 1 x 6W / 65 mA / 646 lm / 110-277V / IK 05

CODE -R3DJU0169

DIMENSIONS:

Diameter - Ø: 3.54" (9 cm)
Height - H: 5.9" (15 cm)
Length - L: 5.11" (13 cm)

LIGHT SOURCE:

LED / 1 x 16W / 145 mA / 1763 lm / 110-277V / IK 06

CODE -R3CJU0171

DIMENSIONS:

Diameter - Ø: 4.72" (12 cm)
Height - H: 7.80" (19.8 cm)
Length - L: 6.81" (17.3 cm)

LIGHT SOURCE:

LED / 1 x 20W / 205 mA / 2409 lm / 110-277V / IK 06

CODE -R3BJU0176


DIMENSIONS:

Diameter - Ø: 6.3" (16 cm)
Height - H: 9.85" (25 cm)
Length - L: 9.13" (23.2 cm)


LIGHT SOURCE:

LED / 1 x 40W / 372 mA / 4455 lm / 110-277V / IK 06


-R3EJU0126




-R3DJU0169



-R3CJU0171



-R3BJU0176



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BO-ALR-KPG-SPT-
R3EJU0126-K30-KAP7008-
DIM-R8-15-B-17B-CA3022

2 CCT OPTIONS:

- K30 3000K
- CUS Custom on request*

3 FINISH OPTIONS:

- KAP7008 Sanded Bronze
- KAP7037 Sanded Dark Gray
- RAL 9005 Sanded Black
- RAL9003 Sanded White

4 DIMMING OPTIONS:

- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

5 BEAM ANGLE:


available only for -R3EJU0126 model		available only for -R3DJU0169 model		available only for -R3CJU0171 model	
-B8-15	15°	-R17-12	12°	-R19-10	10°
-B8-24	24°	-R17-18	18°	-R19-22	22°
-B8-38	38°	-R17-32	32°	-R19-38	38°
-B8-60	60°				

available only for
-R3BJU0176 model

-R16-12	12°
-R16-25	25°
-R16-38	38°

6 WATER PROOF SOLUTION: (optional)

- A Water-Stopper(Included)**
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B B IP67 Jiffy quick plug/socket connector(Optional)**
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:






HOW TO ORDER: _____ CODE: _____

Example:
CODE: BO-ALR-KPG-SPT-XXX-XXX-XXX-XXX




BO-ALR-KPG-SPT-
R3EJU0126-K30-KAP7008-
DIM-R8-15-B-17B-CA3022

7 ACCESSORIES:

SPIKE - PC-ABS alloys

<p>-17B</p>  <p>Ø9cm (3.54") 27.6cm (10.86")</p>	<p>-18C</p>  <p>Ø6cm (2.36") 23cm (9")</p>	
<p>-17B for R3CJU0171, -R3BJU0176 models -18C for R3EJU0126, R3DJU0169 models</p>		





SPIKE - STAINLESS STEEL

<p>-13B</p>  <p>Ø8cm (3.14") 27.6cm (10.86")</p>	<p>-12C</p>  <p>Ø6cm (2.36") 21cm (8.26")</p>	
<p>-12C for R3EJU0126, R3DJU0169 models -13B for R3CJU0171, R3BJU0176 models</p>		

TREE POLE STRAP

<p>-RD003</p> 	<p>-RD002</p> 	
<p>-RD002 for -R3CJU0171, -R3BJU0176 models -RD003 for -R3EJU0126, -R3DJU0169 models</p>		

BEVEL CUT HOOD

<p>-CA3022</p> 	<p>-R3EJU0126</p>
<p>-CA3021</p> 	<p>-R3DJU0169</p>
<p>-CA3020</p> 	<p>-R3CJU0171</p>
<p>-CA3019</p> 	<p>-R3BJU0176</p>

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

Example:
CODE: BO-ALR-KPG-SPT-XXX-XXX-XXX-XXX

CODE:


BO-ALR-KPG-SPT-
R3EJU0126-K30-KAP7008-
DIM-R8-15-B-17B-CA3022

8 FEATURE:



Gear: The gear between the luminaire housing and the U bracket to prevent sliding.

9 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

Example:
 CODE: BO-ALR-KPG-SPT-XXX-XXX-XXX-XXX

CODE:

BO-ALR-KPG-SPT-
 R3EJU0126-K30-KAP7008-
 DIM-R8-15-B-17B-CA3022



sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA