



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

FRUIT CIRCLE collection is available in a variety of sizes and mount styles, direct light emission and hundreds of finishing options. Dimmable outdoor rated power supply and IP67 luminaire. Catenary cable, ceiling, and wall mounting options

FIXTURE TYPE:

Pendant

VOLTAGE:

110-277V



MATERIAL:

Extruded, machined, formed and welded 6061-T6 aluminum

OPTICS:

Machined, formed and welded satin PMMA circular integraldiffuser optimal light chamber design for dot-less uniform lighting

IP RATING:

IP 67



DRIVER POSITION:

Remote

LIGHT DISTRIBUTION:

Direct

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F


sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BO-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

BO-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

1 CIRCLE DIAMETER:

- D1 Ø: 24" (61 cm)
- D2 Ø: 36" (91.4 cm)
- D3 Ø: 42" (106.7 cm)
- D4 Ø: 48" (122 cm)
- D5 Ø: 56" (142.2 cm)
- D6 Ø: 60" (152.4 cm)
- D7 Ø: 72" (182.9 cm)
- D8 Ø: 78" (198.1 cm)
- D9 Ø: 84" (213.3 cm)
- D10 Ø: 96" (243.8 cm)
- D11 Ø: 120" (304.8 cm)
- CUS* Custom on request*

2 CIRCLE HEIGHT:

- H1 H: 1.5" (3.8 cm)
- H2 H: 2" (5.1 cm)
- H3 H: 2.5" (6.35 cm)
- H4 H: 3" (7.6 cm)
- H5 H: 3.5" (8.9 cm)
- H6 H: 4" (10.1 cm)
- H7 H: 5" (12.7 cm)
- H8 H: 6" (15.2 cm)
- CUS* Custom on request*

3 LED CRI:

- CR8 CRI 80
- CR9 CRI 90

4 SPECIFY CCT:

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K
- RGB RGB
- RGBW RGBW


sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BO-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

BO-P7704-D1-H1-CR8-K27-DIM-WH-SS

5 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron

6 FINISH OPTIONS:

- WH White (RAL 9010)
- GR Green (RAL 6010)
- CO Corten (RAL 8023)
- LGR Light Grey (RAL 7047)
- DGR Dark Grey (RAL 7021)
- BL Black (RAL 9005)
- BW Black+ Brown wood Painted detail
- LW Black+ Light wood Painted detail
- DW Black+ Dark wood Painted detail
- CUS Custom on request*

7 LIGHT SOURCE OUTPUT:

- LED / 26W / 2,166 lm for 24" (61 cm) model
- LED / 39W / 3,250 lm for 36" (91.4 cm) model
- LED / 45W / 3,735 lm for 42" (106.7 cm) model
- LED / 52W / 4,333 lm for 48" (122 cm) model
- LED / 60W / 4,980 lm for 56" (142.2 cm) model
- LED / 65W / 5,416 lm for 60" (152.4 cm) model
- LED / 78W / 6,500 lm for 72" (182.9 cm) model
- LED / 83W / 6,889 lm for 78" (198.1 cm) model
- LED / 90W / 7,470 lm for 84" (213.3 cm) model
- LED / 104W / 8,666 lm for 96" (243.8 cm) model
- LED / 128W / 10,624 lm for 120" (304.8 cm) model

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:


CODE:

Example:
CODE: BO-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS


BO-P7704-D1-H1-
CR8-K27-DIM-WH-SS

9 INSTALLATION OPTIONS:

-SS



-SS



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA