



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The TITAWIN High Power LED Spotlight by Bullard Outdoor is a durable, high-performance outdoor fixture made from die-cast aluminum with a tempered glass lens. Operating on 110–277V with IP66 and IK07 ratings, it ensures powerful, reliable illumination in any environment and is available in multiple sanded finishes for versatile design applications.

FIXTURE TYPE:

Spotlight - High power spotlight

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66

IP66

IK RATING:

IK 07

FINISHING:

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

CABLE GLAND:

IP68 PG-11 PA66

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BO-TWN-KPG-SPT-XXX-XXX-XXX-XXX

BO-TWN-KPG-SPT-
B3CPU1065-K30-KAP7008-
B92-8-B-CA3042-CA3045

1 MODELS:

CODE -B3CPU1065

DIMENSIONS:

Diameter - Ø: 7.87" (20 cm)
Height - H: 10.70" (27.2 cm)
Length - L: 7.55" (19.2 cm)

LIGHT SOURCE:

LED / 10 x 4.5W / 214 mA / 4210 lm / 110-277V

CODE -B3CQU1865

DIMENSIONS:

Diameter - Ø: 9.84" (25 cm)
Height - H: 13.1" (33.3 cm)
Length - L: 9.25" (23.5 cm)

LIGHT SOURCE:

LED / 18 x 4.5W / 385 mA / 7771 lm / 110-277V

CODE -B3CRU2465

DIMENSIONS:

Diameter - Ø: 11.8" (30 cm)
Height - H: 15.35" (39 cm)
Length - L: 11.29" (28.7 cm)

LIGHT SOURCE:

LED / 24 x 4.5W / 570 mA / 11,234 lm / 110-277V


2 CCT OPTIONS:

-K30 3000K
-CUS Custom on request*


3 FINISH OPTIONS:

-KAP7008 Sanded Bronze
-KAP7037 Sanded Dark Gray
-RAL 9005 Sanded Black
-RAL9003 Sanded White


-B3CPU1065



-B3CQU1865



-B3CRU2465



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-TWN-KPG-SPT-XXX-XXX-XXX-XXX


BO-TWN-KPG-SPT-
B3CPU1065-K30-KAP7008-
B92-8-B-CA3042-CA3045

4 BEAM ANGLE:

- B92-8 8°
- B92-15 15°
- B92-20 20°
- B92-30 30°
- B92-50 50°




5 WATER PROOF SOLUTION: (optional)

- A Water-Stopper(Included)**
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Option)**
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.






6 ACCESSORIES:

HOOD 

- CA3042 -B3CPU1065 
- CA3043 -B3CQU1865 
- CA3044 -B3CRU2465 

ANTI GLARE LOUVER 

- CA3045 -B3CPU1065 
- CA3046 -B3CQU1865 
- CA3047 -B3CRU2465 

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

Example:
CODE: BO-TWN-KPG-SPT-XXX-XXX-XXX-XXX

CODE:

BO-TWN-KPG-SPT-
B3CPU1065-K30-KAP7008-
B92-8-B-CA3042-CA3045

7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

Example:
CODE: BO-TWN-KPG-SPT-XXX-XXX-XXX-XXX

CODE:

BO-TWN-KPG-SPT-
B3CPU1065-K30-KAP7008-
B92-8-B-CA3042-CA3045



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA