



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

Globo Tige is a pure, iconic form that became a bestseller thanks to the way it diffuses light evenly and softly. Designed for outdoor use, the diffuser is made of durable polyethylene and finished in lighting white for a clean, timeless look.

The fixture uses a standard E26 lamp and operates on a wide voltage range of 110–277V, making it suitable for international projects. With an IP55 rating and Class II insulation, Globo Tige is well protected against dust and water ingress, ensuring reliable performance in exterior environments.

Ideal as a single statement piece or in grouped installations, Globo Tige allows designers to combine different sizes and configurations to create balanced, architectural lighting compositions.

FIXTURE TYPE:

Pendant

VOLTAGE:

110-277V



MATERIAL:

Polyethylene

IP RATING:

IP 55

IP55

APPLIANCE CLASS:

II

FINISHING:

Lighting white ☐

MAIN FEATURES:

High visual comfort
Available in a wide range of finishes
Functional and minimalistic design
Shock-resistant construction

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BO-GT-30-SD-S-ST

BO-GT-30-SD-
S-ST

1

PROFILE DIAMETER:

-S

DIMENSIONS:

A) Diameter Ø: 11.81" (30 cm)
B) Height - H: 31.50" (80 cm)

-M

DIMENSIONS:

A) Diameter Ø: 11.81" (30 cm)
B) Height - H: 51.18" (130 cm)

*Energy saving bulb
recommended (not included).

2

LIGHT SOURCE:

E26 * / 1 x max.10W / 110-277V



3

FINISH OPTION:


Glossy Finish

4


FINISH OPTION (STEM):

-ST Satin
-AW Absolute White

-D30-80



-D30-130



E26

IP55



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA