



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The LUNOX Surface Mounted Wall Luminaire is an asymmetrical wall washer designed for sleek, modern outdoor lighting. Built from extruded aluminum alloy with a tempered glass lens, it operates on 110–277V LED power for efficient, even illumination. With a CRI of 80, IP65 protection it ensures durability and performance. Finishes include Sanded Bronze, Sanded Dark Gray, Sanded Black, and Sanded White.

FIXTURE TYPE:

Surface Mounted Wall Luminaires - Wall Washer

LIGHTING

LED **LED**

VOLTAGE:

110-277V 

MATERIAL:

Extruded aluminum alloy #6063

REFLECTOR:

OPTICS reflector. efficiency ≥ 85%

CRI:

80

IP RATING:

IP 65 **IP65**

IK RATING:

IK 06 / IK 08 / IK 10

FINISHING:

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-LNX-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-LNX-KPG-SMW-
B7DH0124-K30-DIM-
B54-15-KAP7008

1

MODELS:

CODE -B7DH0124

DIMENSIONS:

Height - H: 5.11" (13 cm)

Diameter - Ø: 2.36" (6 cm)

Depth - P: 3.7" (9.4 cm)

LIGHT SOURCE:

LED / 1 x 4.5W / 233 mA / 282 lm / 110-277V / IK 08

CODE -R7CH0173

DIMENSIONS:

Height - H: 9.5" (24.15 cm)

Diameter - Ø: 5.1" (13 cm)

Depth - P: 7.16" (18.2 cm)

LIGHT SOURCE:

LED / 1 x 25W / 270 mA / 2967 lm / 110-277V / IK 10

CODE -R7EH0176

DIMENSIONS:

Height - H: 11.18" (28.4

cm)

Diameter - Ø: 6.3" (16 cm)

Depth - P: 8.7" (22.1 cm)

LIGHT SOURCE:

LED / 1 x 40W / 372 mA / 4030 lm / 110-277V / IK 06

2

CCT OPTIONS:

-K30 3000K

-CUS Custom on request*

3

DIMMING OPTIONS:

-DIM 1-10V

-PWM Pulse Width Modulation

-DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-LNX-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-LNX-KPG-SMW-
B7DH0124-K30-DIM-
B54-15-KAP7008


4 BEAM ANGLE:

available only for -B7DH0124 model		available only for -R7CH0173 model		available only for -R7EH0176 model	
-B54-15	15°	-R19-10	10°	-R16-12	12°
-B54-24	24°	-R19-22	22°	-R16-25	25°
-B54-38	38°	-R19-38	38°	-R16-38	38°


5 FINISH OPTIONS:

- KAP7008 Sanded Bronze
- KAP7037 Sanded Dark Gray
- RAL 9005 Sanded Black
- RAL9003 Sanded White

6 DIAGRAM OF INSTRUCTION:



7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA