



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

Prysm is LED inground light, with beam angle options of 80° and 40°, delivers versatile and efficient illumination. Crafted from durable die-casting aluminum with stainless steel finish options, Prysm offers durability and style. Customize your lighting with dimming options via .

**FIXTURE TYPE:**

Inground Luminaires - Drive Over / Walkover / Grazer

**LIGHTING:**

LED

LED

**VOLTAGE:**

110-277V



**MATERIAL:**

12# Die-casting aluminium powder coated

**CRI:**

80

**IP RATING:**

IP 67

IP67


**IK RATING:**

IK 10

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-PR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-PR-KPG-IL-1E2BFS0167-K30-DIM-

**1 MODELS:**

CODE -1E2BFS0167

DIMENSIONS:

Diameter - Ø: 6.65" (16.9 cm)  
Height - H: 4.76" (12.1 cm)

LIGHT SOURCE:

LED / 1 x 8.5W / 416 mA / 108 lm / IK 10 / 110-277V

CODE -2E2BFS0167

DIMENSIONS:

Diameter - Ø: 6.65" (16.9 cm)  
Height - H: 4.76" (12.1 cm)

LIGHT SOURCE:

LED / 1 x 8.5W / 416 mA / 164 lm / IK 10 / 110-277V

CODE -4E2BFS0167

DIMENSIONS:

Diameter - Ø: 6.65" (16.9 cm)  
Height - H: 4.76" (12.1 cm)

LIGHT SOURCE:

**2 CCT OPTIONS:**

-K30 3000K  
-CUS Custom on request\*

**3 DIMMING OPTIONS:**

-DIM 1-10V  
-PWM Pulse Width Modulation  
-DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-PR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX


BO-PR-KPG-IL-1E2BFS0167-K30-DIM-

**4 WATER PROOF SOLUTION: (optional)**



**5 ACCESSORIES:**

SLEEVE (INCLUDED)




- 016#

**6 OPTICS:**

-B80 180°

**7 PHOTOMETRIC INFO:**



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA