




FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The BLAZE Recessed Wall Luminaire is a durable and stylish LED fixture designed for stair and pathway lighting. Made from die-cast aluminum with a hard chrome-plated stainless steel 316L finish, it combines strength with a refined architectural look. Operating on 110–277V, BLAZE features a UV-stable, fireproof PC lens for consistent illumination and durability. Rated IP65 for weather resistance and IK09/IK10 for impact protection, it's ideal for demanding environments.

FIXTURE TYPE:

Recessed Wall Luminaires - Stair/Pathway Luminaires

LIGHTING:

LED **LED**

VOLTAGE:

110-277V 

MATERIAL:

D1HA1034, D1HB1034: 12# Die-casting aluminum powder coated
D1HE1634, D1HC1634: Hard chromeplated Stainless steel 316#

LENS:

UVstop & Fireproof PC

CABLE GLAND:

IP67 copper and nicked coated

RECESSED SLEEVE:

PC/ABS ALLOYS 092#

IP RATING:

IP 65 **IP65**

IK RATING:

IK 09 / IK 10

FINISHING:

Sanded Dark Gray
Sanded Black
Sanded Silver Gray

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BO-BLZ-KPG-RWL-XXX-XXX-XXX-XXX-XXX-XX

BO-BLZ-KPG-RWL-
D1HC1634-K30-
KAP7037-DIM


1

MODELS:

-D1HC1634

3.93" (10 cm)

3.3" (8.4 cm)





3.93"
(10 cm)

-D1HE1634

3.93" (10 cm)

3.3" (8.4 cm)





3.93"
(10 cm)

-D1HB1034

3.93" (10 cm)

3.4" (8.5 cm)




3.93"
(10 cm)

-D1HA1034

3.93" (10 cm)

3.4" (8.5 cm)



3.93"
(10 cm)

CODE -D1HC1634

DIMENSIONS:

Length - L: 3.93" (10 cm)

Height - H: 3.93" (10 cm)

Depth - P: 3.3" (8.4 cm)

LIGHT SOURCE:

LED / 16 x 0.2W / 125 mA / 35 lm / CRI 80 / IK 09

CODE -D1HE1634

DIMENSIONS:

Length - L: 3.93" (10 cm)

Height - H: 3.93" (10 cm)

Depth - P: 3.3" (8.4 cm)

LIGHT SOURCE:

LED / 16 x 0.2W / 125 mA / 50 lm / CRI 80 / IK 09

CODE -D1HB1034

DIMENSIONS:

Length - L: 3.93" (10 cm)

Height - H: 3.93" (10 cm)

Depth - P: 3.4" (8.5 cm)

LIGHT SOURCE:

LED / 10 x 0.5W / 230 mA / 130 lm / CRI 80 / IK 10

CODE -D1HA1034

DIMENSIONS:

Length - L: 3.93" (10 cm)

Height - H: 3.93" (10 cm)

Depth - P: 3.4" (8.5 cm)

LIGHT SOURCE:

LED / 10 x 0.5W / 230 mA / 124.6 lm / CRI 80 / IK 10

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-BLZ-KPG-RWL-XXX-XXX-XXX-XXX-XXX-XX

BO-BLZ-KPG-RWL-
D1HC1634-K30-
KAP7037-DIM

2 CCT OPTIONS:

- K30 3000K
- CUS Custom on request*


3 FINISH OPTIONS:

- KAP7037 Sanded Dark Gray
- RAL 9005 Sanded Black
- RAL9022 Sanded Silver Gray


4 DIMMING OPTIONS:

- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

5 RECESSED SLEEVE: (included)



6 FEATURES:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:


Example:
 CODE: BO-BLZ-KPG-RWL-XXX-XXX-XXX-XXX-XXX-XX

BO-BLZ-KPG-RWL-
 D1HC1634-K30-
 KAP7037-DIM

7 DIAGRAM OF INSTRUCTION:



8 PHOTOMETRIC INFO:



sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA