BULLARD OUTDOOR
BUILT for the STORM

ANCER
Spotlight - High Power Spotlight

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____



LED 110-277V IP66

GENERAL INFORMATION:

The ANCER Spotlight – Universal Type represents a high-performance and versatile outdoor lighting solution from the Bullard Outdoor range, engineered under the brand's "Built for the Storm" philosophy. Designed for demanding environments and precise illumination, the ANCER series delivers reliable performance with modern aesthetics, making it ideal for architectural, landscape, and area lighting applications.

FIXTURE TYPE:

Spotlight - Universal Type

LIGHTING

LED

VOLTAGE:

110-277V

MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66

IK RATING:

IK 05 / 06

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black
Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP66

HOW TO ORDER:	CODE:
Example: CODE: BO-ANC-KPG-SPT-XXX-XXX-XXX-XXX	BO-ANC-KPG-SPT-B3EME0459-K30-KAP7008-DIM-B-CA3023-CA3026

1 MODELS:

CODE -B3EME0459

DIMENSIONS:

Height -	H: 7.5" (19 cm)
Length -	L: 4.72" (12 cm)
Width -	W: 2.95" (7.5 cm)

LIGHT SOURCE:
LED / 4 x 3.5W / 146 mA / 1206 lm / 110-277V / IK 05

CODE -B3FME0958

DIMENSIONS:

Height -	H: 9.37" (23.8 cm)
Length -	L: 6.3" (16 cm)
Width -	W: 3.14" (8 cm)

LIGHT SOURCE:
LED / 9 x 3W / 245 mA / 2541 lm / 110-277V / IK 06

CODE -B3GME2558

DIMENSIONS:

Height -	H: 13.66" (34.7 cm)
Length -	L: 9.84" (25 cm)
Width -	W: 3.93" (10 cm)

LIGHT SOURCE:
LED / 25 x 3W / 596 mA / 5832 lm / 110-277V / IK 06

2 CCT OPTIONS:

-K30	3000K
-CUS	Custom on request*

3 FINISH OPTIONS:

-KAP7008	Sanded Bronze
-KAP7037	Sanded Dark Gray
-RAL 9005	Sanded Black
-RAL9003	Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP66

HOW TO ORDER:	CODE:
Example: CODE: BO-ANC-KPG-SPT-XXX-XXX-XXX-XXX	BO-ANC-KPG-SPT-B3EME0459-K30-KAP7008-DIM-B-CA3023-CA3026

4 DIMMING OPTIONS:

-DIM	1-10V
-PWM	Pulse Width Modulation
-DALI	DALI (Digital Addressable Lighting Interface)

5 WATER PROOF SOLUTION: (optional)

A **Water-Stopper**(Included)
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.

-B B **IP67 Jiffy quick plug/socket connector**(Option)
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.

6 ACCESSORIES:

BEVEL CUT HOOD

-CA3023	-B3EME0459
-CA3024	-B3FME0958
-CA3025	-B3GME2558

ANTI GLARE LOUVER

-CA3026	-B3EME0459
-CA3027	-B3FME0958
-CA3028	-B3GME2558

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP66

HOW TO ORDER: | CODE:

Example:
CODE: BO-ANC-KPG-SPT-XXX-XXX-XXX-XXX

BO-ANC-KPG-SPT-B3EME0459-K30-KAP7008-DIM-B-CA3023-CA3026

7 BEAM ANGLE:

available only for B3FME0958 model

-FB12B5-9	9°	-FB11B4-9	9°
-FB12B5-15	15°	-FB11B4-15	15°
-FB12B5-20	20°	-FB11B4-20	20°
-FB12B5-30	30°	-FB11B4-30	30°
-FB12B5-45	45°	-FB11B4-45	45°
-FB12B5-60	60°	-FB11B4-60	60°

8 PHOTOMETRIC INFO:











sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP66

HOW TO ORDER:

Example:
CODE: BO-ANC-KPG-SPT-XXX-XXX-XXX-XXX

CODE:

BO-ANC-KPG-SPT-B3EME0459-K30-KAP7008-DIM-B-CA3023-CA3026



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-ANC-KPG-SPT

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP66

HOW TO ORDER:

Example:
CODE: BO-ANC-KPG-SPT-XXX-XXX-XXX-XXX

CODE:

BO-ANC-KPG-SPT-B3EME0459-K30-KAP7008-DIM-B-CA3023-CA3026



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/27/2026