




FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**GENERAL INFORMATION:**

Giotto is a suspended luminous ring with integrated LED, available in three standard sizes: 31.5", 43.31", and 55.12". It provides uniform 360° illumination and comes in 2700K, 3000K, and 4000K color temperatures. Designed as a high-performance diffuser, it ensures comfortable, homogeneous lighting with a clean, essential geometry suitable for single installations or large-scale compositions. Dimming options include 0-10V, Non-Dimmable, DALI, Casambi, and Lutron, making GIOTTO ideal for contract and commercial applications.

**FIXTURE TYPE:**

Pendant

**VOLTAGE:**

110-277V



**MATERIAL:**

Polyethylene

**LIGHTING:**

LED



**IP RATING:**

IP 54



**APPLIANCE CLASS:**

I

**DRIVERS:**

Integral

**FINISHING:**

Lighting white

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

**Example:**  
**CODE: BO-LP-GTT-SD-D55-K27-DIM**

BO-LP-GTT-P-  
SD-D55-K27-  
DIM

**1 MODELS:**

**-D31** (single fixture)

DIMENSIONS:

Ø: 31.50" (80 cm) x H: 2.76" (7 cm)

LIGHT SOURCE:

LED / 35W / 1800 lm / CRI 90 / 110-277V

**-D43** (single fixture)

DIMENSIONS:

Ø: 43.31" (110 cm) x H: 2.76" (7 cm)

LIGHT SOURCE:

LED / 50W / 2500 lm / CRI 90 / 110-277V

**-D55** (single fixture)

DIMENSIONS:

Ø: 55.12" (140 cm) x H: 2.76" (7 cm)

LIGHT SOURCE:

LED / 65W / 3200 lm / CRI 90 / 110-277V



**-COMP** (chandelier)

DIMENSIONS:

Ø: 31.50" (80 cm) + 43.31" (110 cm) + Ø: 55.12" (140 cm)

LIGHT SOURCE:

LED / 150W / 3200 lm / CRI 90 / 110-277V




sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
**CODE: BO-LP-GTT-SD-D55-K27-DIM**

BO-LP-GTT-SD-  
D55-K27-DIM

**2** CCT:

- K27 2700K
- K30 3000K
- K40 4000K

**3** DIMMING OPTIONS:

- DIM 0-10V
- NON Non-Dimmable
- DL Dali
- CAS Casambi
- LUT Lutron

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA