



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

Rori is a dynamic LED inground light who offers precise illumination with adaptable beam angles of 15° and 65°. With energy-efficient operation and impressive luminance, Rori enhances outdoor spaces effortlessly. Supporting dimming options, it allows you to create the perfect ambiance with ease. Experience superior lighting versatility with Rori.

FIXTURE TYPE:

Inground Luminaires - Compact/Mini

LIGHTING:

LED

LED

VOLTAGE:

110-277V



MATERIAL:

Aluminium anodized finishing or powder painting

CRI:

80

IP RATING:

IP 67

IP67

IK RATING:

IK 06

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-RI-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-RI-KPG-IL-B2BPR0157-K30-B15-10-DIM-

1 MODELS:

CODE -B2BPR0157

DIMENSIONS:

Diameter - Ø: 1.06" (2.7 cm)
Height - H: 2.44" (6.2 cm)

LIGHT SOURCE:

LED / 1 x 1.5W / 83 mA / 136 lm / IK 06 / 110-277V

2 CCT OPTIONS:

CODE -B2BPS0157

DIMENSIONS:
Height - H: 1.06" (2.7 cm)
Width - W: 1.06" (2.7 cm)
Length - L: 2.44" (6.2 cm)

LIGHT SOURCE:

LED / 1 x 1.5W / 83 mA / 136 lm / IK 06 / 110-277V

3 BEAM ANGLE:

-K30 3000K
-CUS Custom on request*

4 DIMMING OPTIONS:

-B15-10 10°
-B15-15 15°
-B15-20 20°
-B15-30 30°

-DIM 1-10V
-PWM Pulse Width Modulation
-DALI DALI (Digital Addressable Lighting Interface)



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:

Example:
CODE: BO-RI-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-RI-KPG-IL-B2BPR0157-K30-B15-10-DIM-


5 WATER PROOF SOLUTION: (optional)



6 ACCESSORIES:

SIFFVE (OPTION 1)




SLEEVE (OPTION 2)



-114#

-180#

7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA