



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

Lurs Angle offers dynamic in-ground lighting solutions in two versatile models. Equipped with precision C11 lenses and powerful LED sources, Lurs Angle emits a focused beam with a selected degree of 45° or 35°, catering to various lighting needs. With an IK08 rating, Lurs Angle ensures durability and reliability in outdoor environments.

FIXTURE TYPE:

In-ground Luminaire - Linear Luminaires

LIGHTING:

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Hard chrome-plated stainless steel SUS 316#

CRI:

80

IP RATING:

IP 67

IP67

IK RATING:

IK 08

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-LSA-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-LSA-KPG-IL-C2FL0357-K30-B-

1 MODELS:

CODE -C2FL0357

DIMENSIONS:

Height - H: 2.56" (6.5 cm)
Width - W: 2.48" (6.3 cm)
Length - L: 7.68" (19.5 cm)

LIGHT SOURCE:

LED / 3 x 2W / 240 mA / 340 lm / IK 08 / 110-277V

CODE -C2FL0657

DIMENSIONS:

Height - H: 2.56" (6.5 cm)
Width - W: 2.48" (6.3 cm)
Length - L: 12.91" (32.8 cm)

LIGHT SOURCE:


LED / 6 x 2W / 550 mA / 875 lm / IK 08 / 110-277V

2 CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

3 WATER PROOF SOLUTION: (optional)

- B **A Water-Stopper(Included)**
IP-67 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Optional)**
IP-67 connector is as an Optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-LSA-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-LSA-KPG-IL-C2FL0357-K30-B-

4 ACCESSORIES:

SLEEVE (INCLUDED)





- 110# - L: 7.68"
- 111# - L: 12.91"

5 OPTICS:

-C11-45/35 45°/35°

6 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA