




FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The FRESNO Bollard by Bullard Outdoor delivers a clean, modern look with superior performance for outdoor lighting applications. Made from die-cast aluminum with a durable powder-coated finish, it provides exceptional resistance to weather and corrosion. Its PMMA lens ensures precise light diffusion, while the integrated LED system offers efficient illumination with a CRI of 80. Operating on a 110–277V universal input, the FRESNO Bollard is rated IP65 for weather protection and IK07 for impact resistance. Available in sanded bronze, dark gray, and black.

FIXTURE TYPE:

Bollard

LIGHTING

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Die-casting powder coated aluminum

LENS:

PMMA

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 07

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black

BUILT FOR THE STORM

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-FRS-KPG-BL-XXX-XXX-XXX-XXX

BO-FRS-KPG-BL-
D9AHL2434A-K30-
KAP7008-DIM-IB

1 MODELS:

CODE -D9AHL2434A

DIMENSIONS:
 Diameter - Ø: 4.33" (11 cm)
 Height - H: 11.81" (30 cm)
 Base plate - Ø: 5.91" (15 cm)

CODE -D9AHM2434A

DIMENSIONS:
 Diameter - Ø: 4.33" (11 cm)
 Height - H: 21.65" (55 cm)
 Base plate - Ø: 5.91" (15 cm)

CODE -D9AHH2434A

DIMENSIONS:
 Diameter - Ø: 4.33" (11 cm)
 Height - H: 31.5" (80 cm)
 Base plate - Ø: 5.91" (15 cm)

2 LIGHT SOURCE:

LED / 6W / 80 mA / 300 lm / 110-277V

3 CCT OPTIONS:

-K30 3000K
 -CUS Custom on request*

4 FINISH OPTIONS:

-KAP7008 Sanded Bronze
 -KAP7037 Sanded Dark Gray
 -RAL9005 Sanded Black

5 DIMMING OPTIONS:

-DIM 1-10V
 -PWM Pulse Width Modulation
 -DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646




991 South Gull Lake Dr
 Richland, MI 49083
 USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-FRS-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-FRS-KPG-BL-
D9AHL2434A-K30-
KAP7008-DIM-IB


6

INSTALLATION TYPE:

- SB Screw Base (included)
- IB Inground Base (optional)
- GAB Ground Anchor Base (optional)

7

PHOTOMETRIC INFO:








sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA