



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

Keto is LED inground light, crafted from durable die-casting aluminum with stainless steel finish options, offers precision illumination. With a selected degree of 20° and lens options FB03 and FB06, Keto ensures focused and uniform lighting for outdoor spaces. Keto boasts energy-efficient performance with customizable dimming options via 1-10V and DALI. With an IK rating of 08, Keto guarantees durability and protection against impacts, making it ideal for various outdoor environments.

**FIXTURE TYPE:**

Wood Floor / Deck

**LIGHTING:**

LED

LED

**VOLTAGE:**

110-277V



**MATERIAL:**

12# Die-casting aluminium powder coated

**CRI:**

80

**IP RATING:**

IP 67

IP67

**IK RATING:**

IK 08

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER: CODE:**

Example:  
CODE: BO-KE-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-KE-KPG-IL-FB2XBR0357-K30-DIM-

**1 MODELS:**

CODE -FB2XBR0357

DIMENSIONS:

Diameter - Ø: 4.57" (11.6 cm)  
Height - H: 1.73" (4.4 cm)

LIGHT SOURCE:

LED / 3 x 2W / 220 mA / 452 lm / IK 08 / 110-277V

CODE -FB2XCR0657

DIMENSIONS:

Diameter - Ø: 6.81" (17.3 cm)  
Height - H: 1.77" (4.5 cm)

LIGHT SOURCE:

LED / 6 x 2W / 541 mA / 1251 lm / IK 08 / 110-277V

**2 CCT OPTIONS:**

-K30 3000K  
-CUS Custom on request\*

**3 DIMMING OPTIONS:**

-DIM 1-10V  
-PWM Pulse Width Modulation  
-DALI DALI (Digital Addressable Lighting Interface)

**4 WATER PROOF SOLUTION: (optional)**

- B **A Water-Stopper(Included)**  
IP-67 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Optional)**  
IP-67 connector is as an Optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA


FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**INSTALLATION DIAGRAM**



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-KE-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BO-KE-KPG-IL-FB2XBRO357-K30-DIM-

**5 ACCESSORIES:**

HONEYCOMB LOUVER  
(OPTIONAL)



-Mh018 -Ø: 4.57"  
-Mh028 -Ø: 6.81"


**6 OPTICS:**

available only for  
-Ø: 4.57" size

available only for  
-Ø: 6.81" size

- |          |     |          |     |
|----------|-----|----------|-----|
| -FB03-9  | 9°  | -FBO6-9  | 9°  |
| -FB03-15 | 15° | -FBO6-15 | 15° |
| -FB03-20 | 20° | -FBO6-20 | 20° |
| -FB03-30 | 30° | -FBO6-30 | 30° |
| -FB03-45 | 45° | -FBO6-45 | 45° |
|          |     | -FBO6-60 | 60° |

**7 PHOTOMETRIC INFO:**



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA