



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The EMBER Surface Mounted Wall Luminares– Effect Architectural delivers refined architectural lighting with a smooth, sculptural profile. Designed to create elegant effects, it combines LED performance with a die-cast aluminum body finished in a durable powder coat for superior resistance to corrosion and weathering. Featuring a precision Lens B59 and Reflector R3, it provides controlled, uniform illumination ideal for façades, entryways, and design accents. Operating on a 110–277V universal input with a CRI of 80, the EMBER offers IP65 weather protection and IK05 impact resistance. Available in sanded silver gray, dark gray, and black finishes

FIXTURE TYPE:

Surface Mounted Wall Light - Effect Architectural

LIGHTING

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Die-casting powder coated aluminum

LENS & REFLECTOR:

Lens B59 / Reflector R3

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 05

FINISHING:

Sanded Silver Gray
Sanded Dark Gray
Sanded Black
Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-EMB-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-EMB-KPG-SMW-
R7BC0129-K30-R3-25-
KAP7008

1 DIMENSIONS:

Height - H: 8.66" (22 cm)
Width - W: 3.54" (9 cm)
Length - L: 6.14" (15.6 cm)

2 LIGHT SOURCE:

-R7BC0129 LED / 1 x 12W / 112 mA / 1508 lm / 110-277V
-B7BC0166 LED / 1 x 6W / 108 mA / 500 lm / 110-277V

3 CCT OPTIONS:

-K30 3000K
-CUS Custom on request*


4 BEAM ANGLE:

available only for -R7BC0129 model	available only for -B7BC0166 model
-R3-25 25°	-B59-10 10°
	-B59-15 15°
	-B59-22 22°

5 FINISH OPTIONS:

-KAP9022 Sanded Silver Gray
-KAP7037 Sanded Dark Gray
-RAL 9005 Sanded Black
-RAL9003 Sanded White

6 BEAM DEMO:



-R7BC0129



-B7BC0166



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:


Example:
 CODE: BO-EMB-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-EMB-KPG-SMW-
 R7BC0129-K30-R3-25-
 KAP7008

7 PHOTOMETRIC INFO:



8 DIAGRAM OF INSTRUCTION:



sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA