


FIXTURE TYPE: _____

PROJECT NAME: _____



E26

IP55



GENERAL INFORMATION:

FIXTURE TYPE:

Pendant

LIGHTING:

E26

E26

MATERIAL:

Polyethylene

FINISHING:

Lighting white

IP RATING:

IP55

IP55

APPLIANCE CLASS:

II



MAIN FEATURES:

High visual comfort
Available in a wide range of finishes
Functional and minimalistic design
Shock-resistant construction


sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BO-GS60-SD-D60-15W-OUT-GF

BO-GS60-SD-
D60-15W-OUT-GF

1 MODEL:

-D60

DIMENSIONS:

A) Diameter - Ø: 23.62" (60 cm)
B) Canopy - Ø: 5.5" (14 cm)

2 LIGHT SOURCE:

-15W E26 - 1 x max. 15W
(Glossy Finish) (OUT)



*Energy saving bulb
recommended (not included).

3 LOCATION:

-OUT OUT (Glossy Finish)

IP55

4 FINISH OPTIONS:

-GF Glossy Finish

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA