



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The PROPUS Bollard by Bullard Outdoor offers a striking contemporary design that enhances modern landscapes and architectural spaces. Built from die-cast aluminum with a high-quality powder-coated finish, it ensures superior durability and corrosion resistance. Its open-frame structure provides a distinctive visual appeal while delivering uniform LED illumination with a CRI of 80. Operating on a 110–277V universal input, the PROPUS Bollard is both IP65 weatherproof and IK07 impact resistant, guaranteeing long-term reliability in all environments. Available in sanded bronze, dark gray, and black finishes.

**FIXTURE TYPE:**

Bollard

**LIGHTING**

LED

LED

**VOLTAGE:**

110-277V

110-277V

**MATERIAL:**

Die-casting powder coated aluminum

**CRI:**

80

**IP RATING:**

IP 65

IP65

**IK RATING:**

IK 07

**FINISHING:**

Sanded Bronze  
Sanded Dark Gray  
Sanded Black

**BUILT FOR THE STORM**

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-PRS-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-PRS-KPG-BL-  
B9AUL0128--B51-20-  
K30-KAP7008-IB

1

**MODELS:**

**CODE -B9AUL0128**

DIMENSIONS:

Length - L: 4.33" (11 cm)  
Width - W: 3.54" (9 cm)  
Height of the top part - H: 8.26" (21 cm)  
Over Height - H: 15.74" (40 cm)  
Base plate - L/W: 6.7" (17 cm) x 4.3" (11 cm)

LIGHT SOURCE:

LED / 11W / 49 mA / 329 lm / 110-277V

**CODE -B9AUM0128**

DIMENSIONS:

Length - L: 4.33" (11 cm)  
Width - W: 3.54" (9 cm)  
Height of the top part - H: 15.74" (40 cm)  
Over Height - H: 27.55" (70 cm)  
Base plate - L/W: 6.7" (17 cm) x 4.3" (11 cm)

LIGHT SOURCE:

LED / 11W / 49 mA / 329 lm / 110-277V


**CODE -B9AUH0170**

DIMENSIONS:

Length - L: 4.33" (11 cm)  
Width - W: 3.54" (9 cm)  
Height of the top part - H: 23.62" (60 cm)  
Over Height - H: 46.45" (118 cm)  
Base plate - L/W: 6.7" (17 cm) x 4.3" (11 cm)

LIGHT SOURCE:

LED / 20W / 89 mA / 679 lm / 110-277V



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-PRS-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-PRS-KPG-BL-  
B9AUL0128--B51-20-  
K30-KAP7008-IB

**1 MODELS:**

CODE -B9AUT0128

DIMENSIONS:

Length - L: 4.33" (11 cm)  
Width - W: 3.54" (9 cm)  
Height of the top part - H: 8.26" (21 cm)  
Over Height - H: 15.74" (40 cm)  
Base plate - L/W: 6.7" (17 cm) x 4.3" (11 cm)

LIGHT SOURCE:

LED / 20 W / 89 mA / 679 lm / 110-277V

**2 BEAM ANGLE:**

-B51-20	20°	available only for -B9AUL0128 / B9AUM0128 models
-B51-28	28°	
-B51-36	36°	
-B51-60	60°	
-B112-15	15°	available only for -B9AUH0170 / B9AUT0128 models
-B112-24	24°	
-B112-36	36°	
-B112-50	50°	

**3 CCT OPTIONS:**

-K30 3000K  
-CUS Custom on request\*

**4 FINISH OPTIONS:**

-KAP7008 Sanded Bronze  
-KAP7037 Sanded Dark Gray  
-RAL9005 Sanded Black

**5 INSTALLATION TYPE:**

-SB Screw Base (included)  
-IB Inground Base (optional)  
-GAB Ground Anchor Base (optional)

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**


Example:  
 CODE: BO-PRS-KPG-BL-XXX-XXX-XXX-XXX-XXX

**CODE:**

BO-PRS-KPG-BL-  
 B9AUL0128--B51-20-  
 K30-KAP7008-IB

6

**PHOTOMETRIC INFO:**



sales@gordonbullard.com  
 www.bullardoutdoor.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA